

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	99/62077	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 08:53
L2	469415	"99" "62077"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 08:53
L3	0	fayyad.in. and "62077"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 08:54
L4	0	fayyad.in. and "ww 99 62077"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 08:54
L5	0	fayyad.in. and "ww 9962077"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 08:54
L6	0	fayyad.in. and "wo 9962077"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 08:54
L7	26	fayyad.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 08:56
L8	2895	first near cluster\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 08:56
L9	1402	first near cluster\$4 and second near cluster\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 08:57
L10	13	first with cluster\$4 and second with cluster\$4 and discrete near attribute and continuous near attribute	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 09:18
L11	26	fayyad.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 09:02
L12	1	cluster\$4 with phase with (first and second) and discrete near attribute and continuous near attribute	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 09:19

L13	1	cluster\$4 with phase with (discrete and continuous) with attribute	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 09:20
L14	8	cluster\$4 with (discrete and continuous) with attribute	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 09:29
L15	1	cluster\$4 with (phase cycle) with (discrete and continuous) with attribute	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 09:29
L16	3035	cluster\$4 with phase	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 09:30
L17	3	cluster\$4 with phase and discrete near attribute and continuous near attribute	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 09:33
L18	6	cluster\$4 with (discrete near attribute) and cluster\$4 with (continuous near attribute)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 09:38
L19	1	cluster\$4 with (discrete near attribute) and cluster\$4 with (continuous near attribute) and cluster\$4 near phase	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 09:34
L20	1	cluster\$4 with (discrete near attribute) and cluster\$4 with (continuous near attribute) and cluster\$4 near step	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 09:34
L21	1	cluster\$4 with (discrete near attribute) and cluster\$4 with (continuous near attribute) and cluster\$4 with phase	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 09:38
L22	0	cluster\$4 with (discrete near attribute) and cluster\$4 with (continuous near attribute) and cluster\$4 with stage	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 09:38
L23	0	cluster\$4 with (discrete near attribute) and cluster\$4 with (continuous near attribute) and cluster\$4 with pass	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 09:38
L25	5	cluster\$4 with (discrete near attribute) and cluster\$4 with (continuous near attribute) and cluster\$4 with data with data\$base	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 09:44

L26	5	cluster\$4 with (discrete near attribute) and cluster\$4 with (continuous near attribute) and cluster\$4 with data with data\$base and cluster with attribute	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 09:46
L27	1	cluster\$4 with (discrete near attribute) and cluster\$4 with (continuous near attribute) and cluster\$4 with data with data\$base and cluster with attribute and cluster\$4 near (continuous and discrete)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 09:46
L28	3	cluster\$4 with (discrete near attribute) and cluster\$4 with (continuous near attribute) and cluster\$4 with data with data\$base and cluster with attribute and cluster\$4 near4 (continuous and discrete)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 09:46
L29	3	cluster\$4 with (discrete near attribute) and cluster\$4 with (continuous near attribute) and cluster\$4 with data with data\$base and cluster with attribute and cluster\$4 near5 (continuous and discrete)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 09:47
L30	3	cluster\$4 with (discrete near attribute) and cluster\$4 with (continuous near attribute) and cluster\$4 with data with data\$base and cluster with attribute and cluster\$4 near6 (continuous and discrete)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 09:47
L31	3	cluster\$4 with (discrete near attribute) and cluster\$4 with (continuous near attribute) and cluster\$4 with data with data\$base and cluster with attribute and cluster\$4 near9 (continuous and discrete)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 09:47
L32	5	cluster\$4 with (discrete near attribute) and cluster\$4 with (continuous near attribute) and cluster\$4 with data with data\$base and cluster with attribute and cluster\$4 with (continuous and discrete)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/07 09:47